





# Editorial

#### Dear Readers,

we are living through challenging times. Nothing seems the same anymore. The 2020 event business is dominated by the corona pandemic and has run its course. As entrepreneurs and representatives of a company with leadership aspirations, we have decided to show confidence.

We are already thinking about the time after the crisis and investing in customer-oriented innovation. In your hands you are holding a proverbial expression of our confidence. Find out about the diversity of our solutions for mobile sales on the following pages. We especially recommend:

- Pages 24-25, where we introduce you to the FT refrigerated trailer range, now fully developed and launched on the market.
   From the FT1 single-axle trailer with 750kg gross weight to the FT6 with 3,500kg perm. gross weight and XXL cold room. All this in the best ESSELMANN quality with an excellent price-performance ratio.
- Pages 32-33 with our comprehensive hygiene solutions for the fast and efficient cleaning of entire mobile bars and drinking water systems.
- Pages 26-27, where we present the fully automatic and networked Revolmatic quick-dispensing system.
- Page 40 with information on our partition wall system for dispensing vehicle **Tremo900** and the mobile hand wash basin **CLEANBASIN**.

Now we wish you many informative impressions and good business in 2021! Stay healthy and optimistic. Better days are yet to come.

Tobias & Sebastian Norkowski

# Contents

Trifore 60 / 60 KR	4-
Trifore 40 KR / 50 KR	6-
Belvedere 45 / 60	8-
Backstage	10-1
BP series	12-1
B series	14-1
Bottle Promoter	16-1
Party Mobile	18-1
Premium Lounge	20-2
Refrigerated trailer KA35	22-2
FT series	24-2
RevolMatic automatic dispenser	26-2
Food Trucks	28-2
XXL refrigeration systems	30-3
Cleanstation & Hygiene	32-3
Counters	34-3
Service and equipment	36-3
Technical information	38-3
TREMO900 / CleanBasin	4

# THB Friesisch-herb seit 1848 TEVEN Trifore 60 KR Technical information on all models can be found on pages 38 and 39.

# TRIFORE 60 KR /RK

# FOR THE EXCEPTIONAL APPEARANCE

#### Unique and brand-staging

The Trifore 60 - the mobile bar with charisma! Thanks to the striking roof construction, the Trifore 60 is an eyecatcher on every fairground. With up to six taps, a length of 6m, over 17m counter length and a coldstorage room for up to 22 kegs, the Trifore 60 is your sales instrument for large events. Thanks to a modern hydraulic system, it can be set up in five minutes by one person. With the diverse lighting options and a professional sound system, the Trifore 60 turns serving drinks into an event. The elegant and high-quality design as well as the sensational brand presentation underline the uniqueness of this sales platform.



Printed and backlit stretched cloths underneath the flaps as well as an individually designed binder provide a unique look and a special brand presence.



#### YOUR CUSTOMER BENEFIT

UNIQUE MOBILE BAR

TRIFORE ROOF WITH ENORMOUS LONG DISTANCE EFFECT

GENEROUS BAR AND COOLING ROOM

BENEROOG BARANTO GODENTO ROBIL

ASSEMBLY BY ONE PERSON IN 5 MIN

OPTIONALLY WITH LONGITUDINAL OR BLOCK COUNTER



# TRIFORE 40 KR / 50 KR

# FOR MAXIMUM APPEARANCE

#### Ready for every event

In the weight range of up to 3,500 kg ESSELMANN also offers the premium model with the unusual Trifore roof construction in four or five metre body length. Thanks to the crank height-adjustable towing device, the vehicle can be towed by car or truck. What is more, you do not have to do without special equipment.

Electronically controlled hydraulics, versatile LED lighting, sound system and cold-storage room are just a few of the extras which the Trifore series can be equipped with.

#### Trifore Doppel8

**Berliner Kindl** 

Maximise your appearance. Thanks to the combination of two mobile bars into one, the Trifore becomes an event vehicle with a large serving capacity and a worthy representative of your brand. Individually or as a pair, always an eyecatcher.

Technical information on all models can be found on pages 38 and 39.



**Berliner Kindl** 



**Berliner Kindl** 



5

Trifore 50 KR

Doppel8

Trifore 50 KR with interchangeable ads

# BELVEDERE 60 / 45

# FOR A SUPERIOR BRAND PRESENTATION

Experience a new perspective for your event.

The Belvedere with 6m body length, lowerable chassis, eye-catching lifting roof, high-end sound system and, as a highlight, a roof terrace accessible from the inside for VIPs. The elevatable balustrade of the Belvedere 60 offers an unbelievable advertising area of 17m x 1.3m. A 4m x 4m umbrella and loudspeakers on the roof make the Belvedere an event at the event.

Ergonomics meets design. Ample cooling and storage facilities ensure a speedy sale. Thanks to the individually designed rear wall with LED screen, the vehicle can be customised to match your brand and ensures lasting brand loyalty.



Large advertising spaces for high-range visibility



Generous cooling facilities for your assortment.



A roof terrace that can be accessed from the inside provides a unique view of your event.

#### YOUR CUSTOMER BENEFIT

ROOF TERRACE ACCESSIBLE FROM THE INSIDE WITH SOUND AND 4M X 4M MBRELLA FOR SPECIAL GUESTS

YE-CATCHING VEHICLE DESIGN THROUGH OUNDED CORNER COLUMNS

LEVATABLE ROOF ELEMENT FOR MAXIMUM BRAND PRESENCE

M VEHICLE BODY FOR MAXIMUM

HIGH LONG-DISTANCE EFFECT BY DAY AND NIGHT THANKS TO THE 2.5 M X 1.3 M LIGHT BOX AT A HEIGHT OF 5M





Rotkäppchen

FRUCHTSECCO

Belvedere 60



ESSELMANN uses aluminium trusses with a 50mm tube diameter for maximum stability and durability. The additional powder coating prevents the formation of white rust and reduces cleaning requirements.

# **BACKSTAGE**

# FOR THE EVENT ATMOSPHERE

Exceptional and benefit-oriented. The vehicles of the Backstage series delight with their unmistakable truss design.

Combined with innovative lighting, a high-end sound system and the customary ESSELMANN quality, the Backstage mobile bars are the solution for events at which serving drinks becomes an event.

Backstage mobile bars are available with or without a cold-storage room.

#### YOUR CUSTOMER BENEFIT

TRUSS DESIGN AND STAGE LIGHTING CREATE FESTIVAL ATMOSPHERE

EFFECTIVE DIFFERENTIATION FROM CONVENTIONAL MOBILE BARS

OPTIONALLY WITH HYDRAULIC ROOF BANNER

STANDARD WITH CRANK HEIGHT ADJUSTMENT

THE FESTIVAL CS WITH ITS 2,850 KG
PERM. GROSS WEIGHT IS THE LIGHTEST
MOBILE BAR IN ITS CLASS





# **BP SERIES** FOR ALL EVENTS

#### Proven and flexible in use

Our 8-corner mobile bars have been built for more than 40 years and therefore form the solid backbone of every mobile bar fleet. Continuous improvements and adaptations to the changing requirements of the market make the BP range a reliable and robust tool for every event also in the future.

Variants with and without cold-storage rooms as well as different sizes and roof shapes offer the right vehicle for all logistical circumstances and every event.



Atmospheric salesroom, thanks to LED lighting and interior ceiling with motif print.













BP11 KR

# **B SERIES**

FOR THE COMPACT SERVING OF DRINKS

#### **Economical and space-saving**

Economical and space-saving

Low weight, low space requirements and minimal maintenance and operating costs make the rectangular dispensing vehicles of the B-series the first choice for all those who expect more turnover at low cost. These compact vehicles are true logistics marvels. They can be towed by car, assembled and disassembled in five minutes and operated with a minimum of personnel. The time required for cleaning is negligible. The small roofed area minimises stand fees. In return, ergonomically optimised controls and short working distances ensure efficient working and optimum dispensing volume. Generous advertising space in the customer's field of vision and the individual paintwork flank the attractive presentation of your brand.



B8 KR



OF MOBILE BARS

OR BARREL AND BOTTLE

OW MAINTENANCE AND CARE EFFORT

#### YOUR CUSTOMER BENEFIT

FAVOURABLE ENTRY INTO THE WORLD

OW WEIGHT AND LOW SPACE REQUIREMENT

OMPACT SERVING OF DRINKS

QUICK ASSEMBLY AND DISASSEMBLY BY ONE PERSON. SUITABLE FOR







# **BOTTLE PROMOTER**

# FOR OPTIMISED BOTTLE SALES

Whether compact refrigerated trailer with generous advertising space for guerrilla marketing or for selling bottles at large events,

ESSELMANN now offers three vehicles specifically for bottle sales.

The bottle promoters are characterised by their large cooling capacity and good ergonomics. Quick to set up and with multi-brand capability thanks to optional interchangeable advertising, the Bottle Promoters present themselves competently and with strong sales at every event.





**Bottle Promoter 45** 



Bottle Promoter 15

Plenty of space for your assortment. The cold room of the Bottle Promoter 45 offers space for 110 crates.

# **PARTY MOBILE**

# FOR PARTIES AND PROMOTION



#### PM15. The multifunctional wonder

The PM15 combines flexibility and cleverness like no other sales vehicle. When extended, the tailgate turns into a multifunctional roof with integrated hi-fi system. Ingenious storage space, the intelligently placed cold room and ergonomically optimised operating routes significantly increase sales and optimise loading.



#### PM20. The party hero

Small dimensions meet maximum weather protection - that's the PM20. The compact mobile bar combines best handling with weather independence which makes it an inexpensive all-rounder in the compact class. Side bar shelves invite you to linger. Despite small size, two beer tent sets can be comfortably accommodated and the generous cold-storage room allows a load of up to 500 kg.

# YOUR CUSTOMER BENEFIT IDEAL FOR SELF-COLLECTORSTRANSPORTABLE LOADED WITH EQUIPMENT AND BEVERAGES OUICKLY AND EASILY TRANSPORTED AND SET UP COMPACT AND ERGONOMIC, FITS IN ALMOST ANY DRIVEWAY READY-TO-USE COMBINATION OF MOBILE BAR AND REFRIGERATED TRAILER EXPANDABLE WITH SOUND SYSTEM AND ROOF UMBRELLA

#### SMART BOX. Open it up and party!

ESSELMANN

Technical information on all models can be found on pages 38 and 39.

The Smart Box is ideally suited for private parties, street festivals or marketing campaigns. In the large-volume cold-storage room six 50-litre KEG barrels and up to 10 crates of beverages can be transported ready for serving. It can be set up in a flash. The integrated hi-fi system and storage space for folding counters or standing tables complete the offer.

SMARTBOX



#### Representative and atmospheric

The Premium Lounge bar vehicles combine exclusivity and grace with maximum ease of use. The elegant, cambered balustrade significantly enlarges both the interior and the counter area. Its perfectly shaped curve offers more than enough space for brand communication.

Despite its size, it can also be folded out or in with just one hand, saving time and money. The appealing play of light on the atrium roof, the unusual roof construction, creates a sense of spaciousness

and a harmonious atmosphere. The exquisite equipment of the mobile bar, smooth interior surfaces and a high-quality real wood look round off the overall picture.

Aluminium, stainless steel and hot-dip galvanising in combination with excellent workmanship offer optimum corrosion protection and guarantee a long service life and lasting value. A well thought out mobile bar vehicle for a harmonious ambience and best sales.





#### YOUR CUSTOMER BENEFIT

THE EXCLUSIVE DESIGN UNDERLINES THE PREMIUM CHARACTER OF YOUR BRAND

UNUSUAL ROOF SHAPES CREATE LONG-DISTANCE EFFECT AND ATMOSPHERE

OPTIMUM WEATHER PROTECTION THANKS TO MAXIMUM ROOFED AREA

LARGE COLD-STORAGE ROOM FOR WIDE ASSORTMENTS

MODULARLY EXPANDABLE WITH SIDE TARPAULINS
AND FLOOR.
FOR YEAR-ROUND LISE












High-quality materials and the four heavy-duty supports make the ESSELMANN refrigerated trailers robust pack mules with great cooling capacity. The flush rear portal allows effortless loading and unloading. We use conventional refrigeration systems. These are powerful, robust and can be maintained and repaired quickly and inexpensively on site by your refrigeration specialist. Through a variety of options, you can equip ESSELMANN refrigerated trailers according to your needs.



We build our refrigerated trailers wider, so that even boxes that are not europallet compliant can be stowed efficiently and quickly.

#### 1 Special equipment

a. Load securing for safe transport of your goods

b. Checker plate particularly robust for heavy use

c. Synthetic floor

free from impacts, waterproof and slip-resistant

2 Flush stainless steel rear portal

Extra stable, durable and non-rebounding

Heahy-duty supports

for a secure hold and ergonomic operation

#### Innovations from model year 2021

- GRP sandwich walls
- no bumps on the walls ensure a smooth appearance
- LED vehicle lighting (Abb. 4) More safety due to the bright and long-lasting LED lighting, no change of illuminant.
- · Tropical refrigeration as standard Tropical version of the refrigeration system for use at up to 43°C outside temperature











The locking bars are practically stowed under the ceiling and always within reach.

What to look for when buying a refrigerated trailer.






# **FT SERIES**

# THE NEW PRICE-PERFORMANCE REFERENCE

A refrigerated trailer with high quality standards and an attractive price-performance ratio - these are our requirements for the new refrigerated trailer series from ESSELMANN. The FT series convinces due to the good workmanship of high-quality components.

A hot-dip galvanised chassis, the Al-KD towing device as well as the flush stainless steel rear portal ensure a robust trailer foundation. Thanks to the *FePur*<sup>®</sup> isothermal body and the ESSELMANN *SPLITCHILL*<sup>®</sup> cooling system, the FT series is optimally insulated and well cooled even at high temperatures. Of course, the FT series can also be adapted to your individual requirements with a wide range of optional equipment.











#### Special equipment

- a. LED vehicle lighting more safety thanks to bright and long-lasting LED lighting
- Stainless steel sheet bumper protection for outline, marker and and rear lights
- c. Synthetic floor free from impacts, waterproof and anti-slip and impact protection made from anodised aluminium checker plate on the inside walls of the box and rear door(s)
- d. Preparation for load securing with 2 rows of perforated rails on both sides, transport bracket for locking bars under the interior ceiling
- e. Locking bar for load securing



#### YOUR CUSTOMER BENEFIT

PROCESSING OF HIGH-QUALITY MATERIALS

AL-KO CHASSIS TECHNOLOGY DURABLE AND RELIABLE

STABLE STAINLESS STEEL REAR PORTAL AS STANDARD

THE RIGHT PRODUCT FOR EVERY WEIGHT RANGE

VARIOUS ADDITIONAL OPTIONS
FOR LOAD SECURING OR COOLIN

	FT1	FT2	FT4	FT5	FT6	
Outer dimensions over all (LxWxH):	3,200x1,700x2,000mm	3,900x1,800x2,500mm	4,950x2,450x2,610mm	5,250x2,450x2,610mm	x2,610mm 5,800x2,450x2,610mn	
Body interior (LxBxH):	2,000x1,000x1,440mm	000x1,440mm 2,500x1,240x1,940mm 3,100x1,820x1,940mm 3,400x1,820x1,940mm 3,950		3,950x1,820x1,940mm		
Empty weight:	480kg*	740kg*	1,000kg*	1,100kg*	1,200kg*	
Permissible gross weight:	750kg	1,350kg 2,700kg 2,700kg		3,500kg		
Payload in transport:	270kg	610kg 1,700kg 1,600kg 2,30		2,300kg		
Payload in operation:	1,000kg** 4,000kg** 6,000kg** 6,000kg**		6,000kg**			
Price from***	5,490,-€	5,980,-€	7,250,- €	7,250,- €	8,450,-€	

<sup>\*</sup> depending on equipment, the empty weight may increase



<sup>\*\*</sup> only in combination with 4-fold spindle support

The REVOLMATIC automatic dispenser

SIMPLY TAP SMART

From now on, your staff can focus on the most important thing, the sale. Always the same dispensing quality, high dispensing speed and simple operation, these are just some of the advantages of the unique RevolMatic automatic dispenser.

A special cup feed system loads the machine automatically and guides the cups directly under the tap. The dispensing process itself is set via a touch display. Whether a single beer or up to 450 beers per hour in continuous operation can be quickly dispensed even by untrained staff,

which saves on staff costs and reduces waiting times. The
Foamcontrol technology ensures a consistent foam result every time.
The RevolMatic automatic dispenser can be integrated effortlessly
into existing dispensing systems both stationary and mobile solutions
such as mobile bars or counters.

In addition, the dispenser has full web connectivity and allows you to view the temperature and flow rates via app.

#### **Functions**

- 1 Fully automatic beer dispenser with cup feeder
- 2 Dispensing capacity up to 450 beers per hour
- 3 Cup feed for disposable and returnable cups
- 4 Simple and fast commissioning
- Smart Touch Control digital control of all
- 6 Foamcontrol for optimal dispensing results
- Full web connectivity temperature and quantity quickly in view





A particular strength of the RevolMatic is its simple use.

The LCD touch display shows all the important functions on the home screen, which enables high sales even for inexperienced staff.





Interested?

Arrange with us a product demonstration.





**REVOL**MATIC **automatic dispenser** Here you can see the video

# **FOODTRUCKS**

FOR UNIQUE CONCEPTS





perm. gross weight 3.5 t / sandwich body / driver's licence class B / body length 4 m / adapted layout for your food concept e.g. Pasta, Texmex, Burger, Snacks, Asian, Barbecue



#### STREETCHEF CRAFTBEER

This vehicle concept offers real added value for mobile beverage distribution. The interior design is perfectly adapted to serving high-quality beer specialities and the sale of food to accompany the beer. It thus creates an optimal sales platform for the craft beer trend.

perm. gross weight 3.5 t / sandwich body / driver's licence class B / Body length 4 m / adapted layout for craft beer



#### **STREETCHEF** CUSTOM

individual layouts and body concepts in a weight range of up to 6.9 t and 7 m body length / various base vehicles to choose from

illustration shows:

5.0 t vehicle /body length 4 m / customer platform with stairway and railing / self-sufficient power supply / large gas tank



perm. gross weight 3.5 t / framework construction / driver's licence class B / body length 4 m

#### extensive equipment options:

e.g. illuminated roof sign / self-sufficient power supply / metallic paintwork / customised layout for your food concept e.g. Pasta, Texmex, Burger, Snacks, Asian, Barbecue



# **XXL COOLING SYSTEMS**

# FOR LARGE QUANTITIES OF CHILLED GOODS

#### Durable and economical

asked for, the ESSELMANN container cooling systems score points. As they can be picked, transported, loaded and unloaded quickly, they are the workhorses of your beverage logistics. Thanks to the low loading height, loading and unloading is ergonomically and safely, even under difficult conditions.

When large cooling capacity in combination with efficient logistics is

#### No license plate - no costs.

On the economic side, a refrigerated container pays off, since there are no running costs such as vehicle taxes and insurance, as well as the costs of the general inspection.

In addition to the standard, individual solutions are also possible on the basis of our modular system. Whether it is cooling capacity, load securing systems or the arrangement of the doors - all important aspects can be adapted to your requirements and logistical conditions.

#### An investment for decades

By investing in an ESSELMANN refrigerated trailer, you are creating a value with a long service life at an advanced level, safe on the roads thanks to automatic brake force control with ABS and air suspension with lifting and lowering function. The flush rear portal enables problem-free and rapid loading of the refrigerated trailer. Thanks to the optional poured floor and the sealed interior, ESSELMANN refrigerated trailers meet the highest hygiene standards and allow for quick and easy cleaning. State-of-the-art insulation and cooling technology make the refrigerated trailer an energy-efficient cooling capacity with storage space for up to 15 pallets.

Set up your new trailer according to your needs and benefit from the wide range of equipment options.



#### Special equipment

- a. High performance cooling unit cooling capacity for extreme demands
- **b.** Load securing for the safe transport of your goods
- c. Checker plate particularly robust for heavy use
- d. Synthetic floorfree from impacts, waterproof and slipresistant
- e. Side door for easy access in the front area
- f. Protected light strips for optimal illumination



HERE YOU CAN SEE THE VIDEO



**AKN**7400







**AKC**2500 Container Backstage Concert







# HYGIENE PROGRAM

# FOR UNIQUE CLEANLINESS

#### CLEANSTATION

Maximise dispensing quality, comply with hygiene standards, save costs - the ESSELMANN Cleanstation is an x-fold profitable investment. Ergonomically designed operating routes speed up work processes. The fulfilment of legally required hygiene standards ensure beverage quality. Consumption-optimised dosing technologies save cleaning agents. The Cleanstation optimizes cleaning processes and saves valuable time.

# BGN GUIDELINE



#### **Back side**

- 1. Hot water spray gun

**CLEANSTATION IN PRACTICE** 

HERE YOU CAN SEE THE VIDEO

#### Front





#### **CLEAN**BOX

The new mobile cleaning solution for pipelines carrying drinking water on mobile bars as well as hoses.

The Cleanbox is suitable for chemical and mechanical pipeline cleaning. Faster hose drying thanks to CO<sub>2</sub> blow-out function.

# CLEANBIN

Mobile, robust and compact - this is how CleanBin presents itself, our compact hygiene unit for cleaning drinking water hoses.

cost-effective

stable

smooth-running

# TAMPER EVIDENT SAFETY SEAL

hygiene for hoses carrying drinking

The patented ESSELMANN tamper-evident safety seal is a nonreusable plastic cap for GEKA couplings.

The cleaned hose is fitted with a closure and is given a hygiene seal with a consecutive number. Along with the cleaning protocol provided by us, you can prove to your customers maximum







# COUNTERS

# FOR FLEXIBLE USE

#### FOLDING COUNTERS FOR ALL OCCASIONS

ESSELMANN counters are the solution for the professional serving of drinks. Their compact construction and the well thought-out setup mechanism minimise the effort required for transport and personnel. The CNS bar counter cover and the stable tubular frame construction guarantee maximum load capacity and durability. The full equipment including bar board, dispensing tower, beer dispenser system, and sink ensures sales

Generous advertising space and the optionally available crowner create a broad impact and the optimal presentation of your brand.





#### The ESSELMANN repräsentierBAR

The counter with the aha effect, combines appealing design, high quality materials and workmanship with the advantages of the well thought-out ESSELMANN technology. The ideal tool for events with class. Convenient transport and high mobility thanks to the ingenious lifting mechanism, heavy-duty castors, ergonomic operation, generous presentation areas for branding and the appealing lighting are just some of the outstanding features that make the repräsentierBAR a worthwhile investment.



- Length: approx. 2,050 mm
- Width: approx. 850 mm
- Counter height: approx. 1,150 mm
- Weight ready to use: approx. 220 kg
- Front pane LED backlit
- Chassis with heavy duty castors
- Various equipment and decors on request



# Simply robust

Simply practical

This saves you time and storage space.

ESSELMANN high tables are made of stainless steel and have a PE table top with a diameter of 800 mm. The high tables are optionally available with an umbrella holder. They are quick to set up and impress with their stability.

Individual transport racks from ESSELMANN enable you to store

counters, bar tables and freezers in an orderly and space-saving


manner. The sturdy stainless steel constructions can be manoeuvered

by one person thanks to the practical heavy-duty castors. Additionally

fitted forklift shoes allow transport with a forklift truck. Special holders

allow several transport racks to be placed on top of each other.

ESSELMANN offers matching transport pallets. The pallets are made of highly stable plastic and withstand external influences such as moisture or hard impacts.



# Simply neat

In order to counteract the damage-prone storage and the unsafe transport of freezers, ESSELMANN has developed a special transport pallet. This allows the freezers to be safely transported and stored. The transport pallet is easy to clean and very robust.





# SERVICE

#### SPARE PARTS SERVICE

If you need a common spare part for a defective mobile bar, you can count on our spare parts service.

If you order by noon, your delivery will leave our warehouse on the same day. This minimises downtime and saves costs. Our experienced staff will be happy to advise you.

SPARE PARTS HOTLINE: +49 23 85 - 708 708 - 17

#### RIO-MOBIL

Are you looking for spare parts for your Rio-Mobil? Our spare parts warehouse has all the important components for all models.

Call us: +49 23 85 - 708 708 - 17

#### ONLINE SHOP

If you are stuck looking for a spare part for your mobile bar, please visit our online shop. Here, all common articles are clearly arranged and provided with a photo, so you can find your spare part quickly and order it conveniently online.

Visit us at: www.esselmann-shop.de


#### REPAIR AND REFURBISHMENT

Let your fleet shine in new splendour and use our repair and refurbishment service. From painting and bodywork to lettering, our team turns old into new. And with manufacturer know-how.

Inquire now: +49 23 85 - 708 708 - 11









# TOP EQUIPMENTS

#### **BOTTLE TRAY**

For optimum presentation of your bottled goods. Lockable and with an additional base also suitable for large assortments.

#### CORRUGATED ALUMINIUM FLOOR

All-aluminium version of the floor without wooden substructure and with 5mm anodised checker plate. Extends the durability and is also easy to clean.

#### CHANGEOVER RELAIS

No matter if 12V and 13-pole or 24V and 15-pole. By turning the power cable, you can always match the trailer's voltage to the electric system of the towing vehicle.

#### CO, STORAGE COMPARTMENT AT THE FRONT

More space in the cold room, thanks to the large  $\mathrm{CO}_2$  storage compartment for up to two carbon dioxide bottles and the storage of loose accessories.

#### **VOLTAGE MONITORING**

More safety for your devices. The voltage monitor switches off the cooling machine and the cooling units in the event of over- or undervoltage, and thus protects against voltage damage.

#### HYDRAULICALLY FOLDABLE ROOF BANNER

Safe and convenient folding and unfolding of the roof banner from the ground. Suitable for every roof and any roof banner variant.



#### CUSTOMISED ROOF ADVERTIZING

Emphasise the uniqueness of your brand with an exclusive roof advertising. We would be happy to help you set new standards in recognition and long-distance effect.

#### COOLING PULL-OUTS

Better ergonomics and a wider assortment. Thanks to the optional cooling pull-outs you have the possibility to sell bottled goods quickly ready to hand and well chilled.

#### INTERCHANGEABLE ADVERTISING

Be flexible and provide your mobile bar with interchangeable advertising. The double-sided lettered plates allow for a quick change of the advertising message and ensure the right brand at your event.

#### CENTRE PEDESTRAL WITH CASH DESK

Efficient work and optimised processes are the prerequisites for a smoothly running festival business. Thanks to the centre pedestal with integrated cash desk drawers, your staff can reach the cash desk quickly and easily, thus ensuring smooth sales.

#### BEER LINE REEL

Order saves time and time is money. Use the optional beer line reels for simple, uncomplicated and hygienically optimised barrel changing in the cold room.

#### COOLING UNIT IN TROPICAL DESIGN

Summers are getting hotter and the demands on the cooling systems are increasing. Be prepared for persistent summer heat and use the powerful cooling units in tropical version.





Type	Trifore 60 KR	Trifore 60 RK	Trifore 50 KR	Belvedere 60 / 45	Backstage Festival	Backstage Festival CS	Backstage Festival L	BP11 KR	Туре	PM20	KN7	KN9	KA15	KA27 / KA28	KA35	Bottle Promoter 45	Bottle Promo
View	E LA	B LA	B	LA	B	B	B	L	View	LA						B	B
Body length (LA)	6,000 mm	6,000 mm	5,000 mm	6,500 mm / 4,500 mm	4,500 mm	4,500 mm	5,000 mm	3,500 mm	Body length (LA)	2,700 mm	6,400 mm	8,000 mm	4,160 mm	4,855 mm / 5,130 mm	5,530 mm	4,500 mm	4,350 m
Length (L)	8,000 mm	8,000 mm	6,950 mm	9,500 mm / 7,700 mm	8,320 mm	6,540 mm	8,740 mm	5,120 mm	Length (L)	4,280 mm	5,000 x 2,470 x 2,000 mm (dimension inside LxWxH)	6,047 x 2,430 x 2,120 mm (dimension inside LxWxH)	2,540 x 1,335 x 1,915 mm (dimension inside LxWxH)	2,885 x 1,670 x 1,990 mm / 3,350 x 1,670 x 1,990 mm (dimension inside LxWxH)	3,665 x 1,670 x 1,990 mm (dimension inside LxWxH)	4,500 mm	3,665 x 1,670 x 1 (dimension insid
Width (B)	7,030 mm	7,030 mm	6,300 mm	2,500 mm / 2,500 mm	6,450 mm	6,450 mm	6,450 mm	6,300 mm	Width (B)	5,300 mm	2,540 mm	2,550 mm	2,030 mm	2,300 mm / 2,300 mm	2,300 mm	4,600 mm	2,450 m
Perm. gross weight	4,490 kg	4,490 kg	3,500 kg	5,300 kg / 3,500 kg	2,500 kg	2,650 kg	3,000 kg	2,000 kg	Perm. gross weight	1,800 kg	10,500 kg	10,900 kg	1,600 kg	2,800 kg / 2,800 kg	3,500 kg	2,500 kg	3,500 k
Cooling capacity	11/22 barrels	11 barrels	12/24 barrels	8x /8x refrigerated cabinet pull-out 2x /1x bottle refrigerator 1x/freezer	-	11/22 barrels	11 barrels	8/16 barrels	Cooling capacity	12 barrels and 10 crates	6,500 kg or 12 pallet spaces	6,950 kg or 15 pallet spaces	800 kg or 2 pallet spaces	1,650 kg / 1,550 kg or 4 /5 pallet spaces	2,200 kg or 5 pallet spaces	approx. 110 crates	approx. 96 o 4 pallet sp
Туре	BP12	BP12 KR	BP24	BP24 KR	BP25	BP25 KR	Smartbox	PM15	Туре	Bottle Promoter 15	B6	B6 KR	88	B8 KR	B12	B12 KR	PL50 / PL5
View	L LA	LA	LA B	L LA	LA B	LA	LA B	LA B	View		LA	LA	LA	B	LA	LA LA	B
Body length (LA)	4,000 mm	4,000 mm	4,500 mm	4,500 mm	5,000 mm	5,000 mm	2,600 mm	2,600 mm	Body length (LA)	4,160 mm	3,000 mm	3,000 mm	3,500 mm	3,500 mm	4,000 mm	4,000 mm	5,000 m
Length (L)	6,900 mm	5,620 mm	7,600 mm	6,150 mm	8,100 mm	6,620 mm	2,800 mm	3,600 mm	Length (L)	2,540 x 1,335 x 1,915 mm (dimension inside LxWxH)	6,050 mm	6,120 mm	6,480 mm	5,110 mm	6,560 mm	5,610 mm	8,870 mm / 7;
Width (B)	6,300 mm	6,300 mm	6,300 mm	6,350 mm	6,300 mm	6,300 mm	3,030 mm	4,120 mm	Width (B)	2,030 mm	5,160 mm	5,000 mm	5,160 mm	6,310 mm	6,310 mm	6,310 mm	6,870 mm / 6,
Perm. gross weight	2,000 kg	2,500 kg	2,500 kg	2,650 kg	3,000 kg	3,500 kg	1,500 kg	1,500 kg	Perm. gross weght	1,600 kg	1,300 kg	1,300 kg	1,800 kg	2,000 kg	2,000 kg	2,500 kg	3,500 k
Cooling capacity	-	8/16 barrels	-	11/22 barrels	-	11/22 barrels	6 barrels and 10 crates	6 barrels and 10 crates	Cooling capacity	800 kg or 2 pallet spaces	-	8/16 barrels	-	8/16 barrels	-	12/24 barrels	10 barrel: 12/24 bar
I			I		I	I	1	I	Technical cha	anges and errors reserved.	I	I	I	I	I	I	I

Туре	PM20	KN7	KN9	KA15	KA27 / KA28	KA35	Bottle Promoter 45	Bottle Promoter 35
View	LA		L				B	B
Body length (LA)	2,700 mm	6,400 mm	8,000 mm	4,160 mm	4,855 mm / 5,130 mm	5,530 mm	4,500 mm	4,350 mm
Length (L)	4,280 mm	5,000 x 2,470 x 2,000 mm (dimension inside LxWxH)	6,047 x 2,430 x 2,120 mm (dimension inside LxWxH)	2,540 x 1,335 x 1,915 mm (dimension inside LxWxH)	2,885 x 1,670 x 1,990 mm / 3,350 x 1,670 x 1,990 mm (dimension inside LxWxH)	3,665 x 1,670 x 1,990 mm (dimension inside LxWxH)	4,500 mm	3,665 x 1,670 x 1,990 mm (dimension inside LxWxH)
Width (B)	5,300 mm	2,540 mm	2,550 mm	2,030 mm	2,300 mm / 2,300 mm	2,300 mm	4,600 mm	2,450 mm
Perm. gross weight	1,800 kg	10,500 kg	10,900 kg	1,600 kg	2,800 kg / 2,800 kg	3,500 kg	2,500 kg	3,500 kg
Cooling capacity	12 barrels and 10 crates	6,500 kg or 12 pallet spaces	6,950 kg or 15 pallet spaces	800 kg or 2 pallet spaces	1,650 kg / 1,550 kg or 4 /5 pallet spaces	2,200 kg or 5 pallet spaces	approx. 110 crates	approx. 96 crates 4 pallet spaces
Туре	Bottle Promoter 15	B6	B6 KR	B8	B8 KR	B12	B12 KR	PL50 / PL50 KR
View		LA	LA B	LA	B	LA	B	B
Body length (LA)	4,160 mm	3,000 mm	3,000 mm	3,500 mm	3,500 mm	4,000 mm	4,000 mm	5,000 mm
Length (L)	2,540 x 1,335 x 1,915 mm (dimension inside LxWxH)	6,050 mm	6,120 mm	6,480 mm	5,110 mm	6,560 mm	5,610 mm	8,870 mm / 7,100 mm
Width (B)	2,030 mm	5,160 mm	5,000 mm	5,160 mm	6,310 mm	6,310 mm	6,310 mm	6,870 mm / 6,870 mm
Perm. gross weght	1,600 kg	1,300 kg	1,300 kg	1,800 kg	2,000 kg	2,000 kg	2,500 kg	3,500 kg
Cooling capacity	800 kg or 2 pallet spaces	-	8/16 barrels	-	8/16 barrels	-	12/24 barrels	10 barrels / 12/24 barrels

#### TREMO 900

The hygiene wall for your mobile bar

Maximise protection for your staff and your customers with the **TREMO 900** hygiene wall. The lightweight aluminium frame with an impact-resistant polycarbonate pane can be quickly and easily attached and dismantled to the counter board of your ESSELMANN mobile bar. Attach, tighten the clamp, and you are done.

You create maximum safety on both sales sides with eight **Tremo 900** walls on the vehicle sides. The serving area offers sufficient height even for large glasses and bottles.

Create added value and use the pane to display price information, customer guidance or brand communication.





#### Unobtrusive and safe

Tremo 900 the hygiene wall in use

# from 189,- € / pc.\*

#### **Bulk prices**

- 1 piece: 225,- € / pc.\*
- · 6 pieces: 199,- € / pc.\*
- · 12 pieces: 189,- € / pc.\*



Here you can see the video



# **CLEAN**BASIN

The mobile hand wash basin from ESSELMANN

Hand hygiene now occupies an even greater place in everyday life than it did just a few months ago. With the mobile hand wash basin CleanBasin you can guarantee a high level of hygiene, at any place of use with a 230V power source.

A 15 litre water reservoir allows a high number of hand washing cycles, which can be carried out by a knee button without touching it by hand. A soap and paper dispenser are also available just as the disinfectant dispenser with elbow lever for a contermination-free dispensing of the disinfectant. A waste bin for the disposal of

paper towels is integrated. The body made of robust stainless steel is very easy to clean and stable on four lockable castors.



#### **Functions**

- Disinfectant dispense
- 2. Water tap
- 3. Paper dispenser
- 4 Snan disnense
- 5 Wasta hir
- 6 Knee hutto
- 7 Caetore lockabl

#### Dimensions in mm:

Width: 550 | Length: 500 | Height: 1,370



CLEANBASIN

Here you can see the video

© Helmut Esselmann GmbH & Co. KG | Subject to alterations | Illustrations may contain optional equipment. Helmut Esselmann GmbH & Co. KG | Oberster Kamp 21 | 59069 Hamm | +49 (0) 23 85 / 708 708-0 | www.esselmann.de | info@esselmann.de